Set of passive video HD transmitters with BNC plug on the cable



EN**

CODE: P.- TR1HD3 v.1.1/III
TYPE: P- TR1HD3 Set of pass

P-TR1HD3 Set of passive video HD transmitters with BNC plug on the cable

(screw terminals)





The ability to connect transmitters (fast Click type connection)

 ϵ

DESCRIPTION

The P-TR1HD3 is a set of passive devices for video transmission using twisted-pair cable. These elements match the impedance of the coaxial cable (75Ω) to the impedance of the symmetrical cable (100Ω) .

In order to obtain the best quality of transmission and interference resistance the UTP cable Cat. 5 (or higher) is recommended. When connecting, make sure that the transmission uses cables from the same twisted pair and properly connect the cables to the screw terminals, "+" to "+" and "-" to "-".

Improper connection will result in image distortion.

The P-TR1HD3 is ended with BNC plug on the cable. Such design allows easy connection of these elements to devices, where the sockets are arranged close to each other. In addition, all transmitters can be combined with each other (Click system) into larger groups, which improves the aesthetics of the installation.

TECHNICAL DATA

The video signal	1,0 V _{p-p} , 75Ω		
Video transmission range	HDCVI	720p	450m
		1080p	250m
		3 / 4 / 8 Mpx	180m
		720p	230m
	HD-TVI	1080p	230m
		3 / 4 / 5 / 8 Mpx	200m
		720p	320m
AHD	AHD	1080p	200m
		3 / 4 / 5 / 8 Mpx	200m
	CVBS	960H	450m
Video bandwidth	0 50 MHz (-3 dB)		
Impedance of the coaxial connector / connector type	$75~\Omega$ / BNC plug (using the 100mm cable)		
Impedance of the unbalanced connector / connector type	100Ω / screw terminals		
Attenuation (loop-through)	-0,5dB / 5MHz		
CMRR	60dB / 5MHz		
Operation temperature	-20 °C ÷ 55 °C		
Storage temperature	-40 °C ÷ 60 °C		
Permissible relative humidity	<95%		
Dimensions	15 × 15 × 47mm		
	(with cable - 155mm length)		
Net / gross weight	0,06kg		
Declarations, warranty	CE, one year from the production date		




Fig. 1. Video image transmission using twisted-pair cable.



WEEE MARK

According to the EU WEE Directive – It is required not to dispose of electric or electronic waste as unsorted municipal waste and to collect such WEEE separately.